

Pottorff Quick Ship Program

Category	Series	Manufacturing Location	Maximum Quantity			Options and Accessories
			24 Hr	3-Day	7-Day	
Fire Dampers	VFD-10, VFD-30	TX, CA	5*	10*	25*	16,18 & 20 GA. A, B or C Sleeves, Round, Flanged & DM-35 Duct Transitions, Stainless Steel , Retaining Angles, Net OD dimensions. Varying fuse link temps, sleeve lengths and clearances. Horizontal and vertical applications.
	VFD-10-IS, VFD-30-IS	TX, CA	10*	25*	50*	20 GA. A or B Sleeves, Round, Flanged & DM-35 Duct Transitions, Retaining Angles, Net OD dimensions. Varying fuse link temps, sleeve lengths and clearances. Horizontal and vertical applications.
	VFD-10-TL, VFD-10D-TL	TX, CA	5*	5*	15*	16,18 & 20 GA. A or B sleeves, Round, Flanged & DM-35 Duct Transitions, Retaining Angles, Net OD dimensions. Varying fuse link temps, sleeve lengths and clearances.
	VFD-10-IM	TX, CA	5	10	15	20 GA. A or B sleeves, Round, Flanged & DM-35 Duct Transitions, Retaining Angles, Net OD dimensions. Varying fuse link temps, sleeve lengths and clearances.
	VFD-10D, VFD-30D	TX, CA	5*	5*	10*	4000 fpm, 16,18 & 20 GA. A, B or C Sleeves, Round, Flanged & DM-35 Duct Transitions, Stainless Steel , Retaining Angles, Net OD dimensions. Varying fuse link temps, sleeve lengths and clearances. Horizontal and vertical applications.
	VFD-15R, VFD-35R	CA ONLY	5	10	25	16 & 20 GA. Sleeves. Varying fuse link temps, sleeve lengths and clearances. Horizontal and vertical applications.
	VFD-15R-IS, VFD-35R-IS	CA ONLY	5	10	25	20 GA. Sleeves. Varying fuse link temps, sleeve lengths and clearances. Horizontal and vertical applications.
	FD-125R	CA ONLY	5	5	20	Varying fuse link temps.
	FD-140 (OP), FD-150 (OP), FD-340	TX, CA	5*	10*	20*	16,18 & 20 GA. Sleeves, Round, Flanged & DM-35 Duct Transitions, Stainless Steel , Retaining Angles, Net OD dimensions. Varying fuse link temps, sleeve lengths and clearances. Horizontal and vertical applications.
Fire/Smoke Dampers	FSD-141, 142, 143, (OP), (SP)	TX, CA	5*	10*	20*	Side Plate, 16,18 & 20 GA. Sleeves, No Sleeve, Round, Flanged & DM-35 Duct Transitions, Stainless Steel , Retaining Angles, Net OD dimensions, Stock Actuators, PI-50, Duct Mounted Smoke Detector (3 day, maximum of 5 units or 7 day only) and Loose Smoke Detector. Varying fuse link temps, sleeve lengths and clearances, DRS-30, RCP-1, RCP-1K, RCP-1M & RCP-1M-NL.
	FSD-151, 152, (OP), (SP)	CA ONLY				
	FSD-171 (OP), FSD-172 (OP)	TX, CA	5	10	20	16,18 & 20 GA. Sleeves, Round, Flanged & DM-35 Duct Transitions, Stainless Steel , Stock Actuators, PI-50, Duct Mounted Smoke Detector (3 day, maximum of 5 units or 7 day only) and Loose Smoke Detector, DRS-30, RCP-1, RCP-1K, RCP-1M & RCP-1M-NL.
	FSD-341, 342, 351, 352	TX, CA	5*	10*	15*	Side Plate, 16,18 & 20 GA. Sleeves, No Sleeve, Round, Flanged & DM-35 Duct Transitions, Retaining Angles, Net OD dimensions, Stock Actuators, PI-50, Duct Mounted Smoke Detector (3 day, maximum of 5 units or 7 day only) and Loose Smoke Detector. Varying fuse link temps, sleeve lengths and clearances, DRS-30, RCP-1, RCP-1K, RCP-1M & RCP-1M-NL.
	FSD-125R	CA ONLY	5	5	20	Varying fuse link temps, Stock Actuators, DRS-30, Horizontal mount, RCP-1, RCP-1K, RCP-1M & RCP-1M-NL.
	SD-141, 142	TX, CA	5*	10*	20*	Side Plate, 16,18 & 20 GA. Sleeves, No Sleeve, Round, Flanged & DM-35 Duct Transitions, Stainless Steel , Retaining Angles, Net OD dimensions, Stock Actuators, PI-50, Duct Mounted Smoke Detector (3 day, maximum of 5 units or 7 day only) and Loose Smoke Detector. Varying sleeve lengths and clearances, RCP-1, RCP-1K, RCP-1M & RCP-1M-NL.
	SD-151, 152	CA ONLY				
	SD-25R	CA ONLY	5	10	50	Stock Actuators, RCP-1, RCP-1K, RCP-1M & RCP-1M-NL.
Ceiling Radiation Dampers	CFD-15R	TX, CA	10	20	50	22 GA Sleeves, VC-165, CRB-24, WHI-20, Varying sleeve lengths.
	CFD-15 (No Round Transitions)	TX, CA	15	30	50	22 GA Sleeves, Flange Transition, VC-165, CRB-24, WHI-20, All Plaster Ground Connections, Varying sleeve lengths.
	CFD-15 (With Round Transitions)	TX, CA	-	20	50	22 GA Sleeves, VC-165, CRB-24, WHI-20, All Plaster Ground Connections, Varying sleeve lengths.
	CFD-521 (IP) (NP)	TX ONLY	-	25	50	Round Transitions (mounted or loose), VC-165, WHI-20, All Plaster Ground Connections, Boot Rails.
	CFD-521-BT	TX, CA	-	-	70	VC-165, WHI-20, All Plaster Ground Connections, Boot Rails.
	CFD-20	TX, CA	5	15	30	22 GA Sleeves, Round Duct Transitions, CRB-24, WHI-20, All Plaster Ground Connections, Varying sleeve lengths.
Air Control Dampers	CD-10R	CA ONLY	10	40	100	22 GA. Sleeves, Standoff, Stainless Steel , Varying sleeve lengths and clearances, Locking quadrants.
	CD-10	CA ONLY	10	20	40	22 GA. Sleeves, Standoff, Locking quadrants.
	CD-21R, 22R	CA ONLY	-	-	20	Low Leakage Seals, Stock Actuators, Stainless Steel . Varying sleeve lengths, Stand-off Brackets.
	CD-25R	CA ONLY	10	20	50	Low Leakage Seals, Stock Actuators, Stainless Steel . Varying sleeve lengths, Locking quadrants, Stand-off Brackets..
	CD-41, 42, 45, 46	TX, CA	5*	15*	20*	Low Leakage Seals, Locking quadrants, Stock Actuators, 16,18 & 20 GA. Sleeves, Round, Flanged & DM-35 Duct Transitions, Stainless Steel , Side Plates, Net OD dimensions, Varying sleeve lengths and clearances, Stand-off, Vertical Blades, Stainless Steel Bushings, PI-50.
	CD-51, 52	TX, CA	-	5*	10*	Low Leakage Seals, Locking quadrants, Stock Actuators, 16,18 & 20 GA. Sleeves, Round, Flanged & DM-35 Duct Transitions, Side Plates, Net OD dimensions, Varying sleeve lengths and clearances, Stand-off, Vertical Blades, Stainless Steel Bushings, PI-50.
	MD-41, 42	TX, CA	5*	15*	20*	Stand-Off, Locking quadrant, Net OD dimensions, No top/bottom stops, Stainless Steel Bushings.
Backdraft Dampers	BD-20R (Catalog sizes only)	TX, CA	-	50	100	
	BD-150, 250	TX ONLY	10*	20*	40*	B (Discharge) or C (Intake) Mounting Flange, Net OD dimensions, Varying sleeve lengths & clearances- 16,18 & 20 GA.
	BD-150, 250 with stock actuators.	TX ONLY	-	10*	20*	B (Discharge) or C (Intake) Mounting Flange, Net OD dimensions, Varying sleeve lengths & clearances- 16,18 & 20 GA. (Stock actuators).
	CBD-150, 250	TX ONLY	10*	20*	40*	B (Discharge) or C (Intake) Mounting Flange, Net OD dimensions, Vertical or Horizontal- Airflow Up Mount, Varying sleeve lengths & clearances- 16,18 & 20 GA.
	BD-51	TX ONLY	10*	20*	60*	B or C Mounting Flange, Net OD dimensions, Varying sleeve lengths & clearances- 16,18 & 20 GA.

Pottorff Quick Ship Program

Category	Series	Manufacturing Location	Maximum Quantity			Options and Accessories
			24 Hr	3-Day	7-Day	
Louvers Standard paint extends the Quick Ship Program by 2 days.	SFD-445, SFD-635, SFJ-445, SFJ-645	CA ONLY	-	5*	10*	Integral Flange Frame (Mech. Fastened Only), Standard head and sill flashing, Net OD dimensions, Clip and continuous angles, No screen, Insect Screen - Aluminum (18-16 mesh).
	EFD-245, EFJ-245, EFJ-430, EFJ-437, EFJ-645, EFK-430, EFK-437, EFK-445, EFK-637, EFJ-437-HP	TX ONLY	≤25 sq. ft	≤100 sq. ft	≤125 sq. ft	Integral Flange Frame (Mech. Fastened Only), Standard head and sill flashing, Net OD dimensions, Clip and continuous angles, Screen Location - Front/Exterior, No screen, Insect Screen - Aluminum (18-14 mesh), Insect Screen - Aluminum (18-16 mesh), Bird Screen-Galvanized (1/2" x 19 GA), Insect Screen- Stainless Steel (18-16 mesh), Florida Building Code Construction, Custom Flanges (n/a for 24 hr.), Stucco & Glazing Frame, Screen & Frame - Match Louver, Frame Only - Match Louver, Filter Rack, Blank-Off, Burglar Bars .
	EDD-445, EDD-637, EFD-435, EFD-445, EFD-645, EFD-437, EFD-637, EFJ-445	TX ONLY	≤25 sq. ft	≤100 sq. ft	≤250 sq. ft	Integral Flange Frame (Mech. Fastened Only), Standard head and sill flashing, Net OD dimensions, Clip and continuous angles, Screen Location - Front/Exterior, No screen, Insect Screen - Aluminum (18-14 mesh), Insect Screen - Aluminum (18-16 mesh), Bird Screen-Galvanized (1/2" x 19 GA), Insect Screen- Stainless Steel (18-16 mesh), Florida Building Code Construction, Custom Flanges (n/a for 24 hr.), Stucco & Glazing Frame, Screen & Frame - Match Louver, Frame Only - Match Louver, Filter Rack, Blank-Off, Burglar Bars .
	EFJ-637-HP, EFY-245, EFY-445	TX ONLY	≤ 25 sq. ft	≤100 sq. ft	≤150 sq. ft	Integral Flange Frame (Mech. Fastened Only), Standard head and sill flashing, Net OD dimensions, Clip and continuous angles, Screen Location - Front/Exterior, No screen, Insect Screen - Aluminum (18-14 mesh), Insect Screen - Aluminum (18-16 mesh), Bird Screen-Galvanized (1/2" x 19 GA), Insect Screen- Stainless Steel (18-16 mesh), Florida Building Code Construction, Custom Flanges (n/a for 24 hr.), Stucco & Glazing Frame, Screen & Frame - Match Louver, Frame Only - Match Louver, Filter Rack, Blank-Off, Burglar Bars .
	ECD-445, ECD-545, EFD-637-MD	TX ONLY	≤25 sq. ft	≤50 sq. ft	≤100 sq. ft	Integral Flange Frame (Mech. Fastened Only), Standard head and sill flashing, Net OD dimensions, Clip and continuous angles, Steeved (n/a for 24 hr.) Screen Location - Front/Exterior, No screen, Insect Screen - Aluminum (18-14 mesh), Insect Screen - Aluminum (18-16 mesh), Bird Screen- Galvanized (1/2" x 19 GA), Insect Screen- Stainless Steel (18-16 mesh), Florida Building Code Construction, Custom Flanges (n/a for 24 hr.), Stucco & Glazing Frame, Screen & Frame - Match Louver, Frame Only - Match Louver, Filter Rack, Blank-Off, Burglar Bars .
	ECD-545-MD	TX ONLY	-	-	≤100 sq. ft	Integral Flange Frame (Mech. Fastened Only), Standard head and sill flashing, Net OD dimensions, Clip and continuous angles, Steeved Screen Location - Front/Exterior, No screen, Insect Screen - Aluminum (18-14 mesh), Insect Screen - Aluminum (18-16 mesh), Bird Screen-Galvanized (1/2" x 19 GA), Insect Screen- Stainless Steel (18-16 mesh), Custom Flanges (n/a for 24 hr.), Stucco & Glazing Frame, Screen & Frame - Match Louver, Frame Only - Match Louver, Filter Rack, Blank-Off, Burglar Bars .
	ECD-635	TX ONLY	-	≤25 sq. ft	≤50 sq. ft	Integral Flange Frame (Mech. Fastened Only), Standard head and sill flashing, Net OD dimensions, Clip and continuous angles. Screen Location - Front/Exterior, No screen, Insect Screen - Aluminum (18-14 mesh), Insect Screen - Aluminum (18-16 mesh), Bird Screen-Galvanized (1/2" x 19 GA), Insect Screen- Stainless Steel (18-16 mesh), Custom Flanges (n/a for 24 hr.), Stucco & Glazing Frame, Screen & Frame - Match Louver, Frame Only - Match Louver, Filter Rack, Blank-Off, Burglar Bars .
	ECD-745	TX ONLY	-	≤ 25 sq. ft	≤ 50 sq. ft	Standard head and sill flashing, Net OD dimensions, Clip and continuous angles. Screen Location - Front/Exterior, No screen, Insect Screen - Aluminum (18-14 mesh), Insect Screen - Aluminum (18-16 mesh), Bird Screen- Galvanized (1/2" x 19 GA), Insect Screen- Stainless Steel (18-16 mesh), Custom Flanges (n/a for 24 hr.), Stucco & Glazing Frame, Screen & Frame - Match Louver, Frame Only - Match Louver, Filter Rack, Blank-Off, Burglar Bars .
	EBE-445, EBI-445	TX ONLY	-	≤ 25 sq. ft	≤ 50 sq. ft	Integral Flange Frame (Mech. Fastened Only), Standard head and sill flashing, Net OD dimensions, Clip and continuous angles. Screen Location - Front/Exterior, No screen, Insect Screen - Aluminum (18-14 mesh), Insect Screen - Aluminum (18-16 mesh), Bird Screen-Galvanized (1/2" x 19 GA), Insect Screen- Stainless Steel (18-16 mesh), Custom Flanges (n/a for 24 hr.), Stucco & Glazing Frame, Screen & Frame - Match Louver, Frame Only - Match Louver, Filter Rack, Blank-Off, Burglar Bars .
	EOD-445, EOD-637, EOJ-445, EOJ-637, EXD-437, EXD-645, EXA-645	TX ONLY	-	≤ 25 sq. ft	≤ 50 sq. ft	Stock Actuators, Integral Flange Frame (Mech. Fastened Only), Standard head & sill flashing, Net OD dimensions, Clip & continuous angles, Jamb & blade seals. Screen Location - Front/Exterior, No screen, Insect Screen - Aluminum (18-14 mesh), Insect Screen - Aluminum (18-16 mesh), Bird Screen- Galvanized (1/2" x 19 GA), Insect Screen- Stainless Steel (18-16 mesh), Custom Flanges (n/a for 24 hr.), Stucco & Glazing Frame, Screen & Frame - Match Louver, Frame Only - Match Louver, Filter Rack, Blank-Off, Burglar Bars .
Standard paint extends the Quick Ship Program by 7 days.	EBV-145, EBV-445 (Catalog Sizes Only)	TX ONLY	-	49	150	
Access Doors	HAD, CAD (Catalog sizes only)	TX, CA	10	25	100	Standard latch quantities.
	RAD (Catalog sizes only)	TX, CA	-	25	100	
	WAD, OAD	TX, CA	-	5	15	
	DM, DMR (Catalog sizes only)	TX, CA	-	20	40	
	DMHT-2300 (Catalog sizes only)	TX, CA	-	5	10	

Note: * Denotes single sections. 1/2 quantities are available for 2 sections. 1/3 quantities available for 3 sections.

Options and accessories shown in bold are only available on the 7-day program.

24 Hr, 3-Day and 7-Day Quick Ship: Orders received before 12:00 Noon Central Time will ship the next business day, 3 days or 7 days respectively. Orders received after 12:00 Noon Central Time will ship in 2 days, 4 days or 8 days respectively.

Please contact Pottorff Customer Service at 817-509-2300 for special requirements.

Manufacturing location indicates CA-California or TX-Texas

Rev: 11/18

Pottorff Noise Control Quick Ship Program

Product Category Allowable	Series	Manufacturing Location	Maximum Quantity*			Options
			24 Hr	3-Day	7-Day	
Rectangular Silencers	RFP, RFF, RXFP, RXFF	TX	2 modules or \$1000 (which ever is less)	13 modules or \$5000 (whichever is less)	30 modules or \$10000 (whichever is less)	Specs Selectable Material Gauges and Mylar lining.
	RFN, RXFN	TX	3 modules or \$1000 (whichever is less)	15 modules or \$5000 (whichever is less)	30 modules or \$10000 (whichever is less)	Specs Selectable Material Gauges. Angle flanges and rings.
No-Fill Rectangular Silencers	RNN	TX	Consult Factory	4 modules or \$5000 (whichever is less)	9 modules or \$10000 (whichever is less)	Specs Selectable Material Gauges. Angle flanges and rings.
Elbow Silencers	EFP, EFF, EXFP, EXFF	TX	Consult Factory	2 modules or \$2500 (whichever is less)	4 modules or \$5000 (whichever is less)	Specs Selectable Material Gauges and Mylar lining.
	EFN, EXFN	TX	Consult Factory	2 modules or \$2500 (whichever is less)	4 modules or \$5000 (whichever is less)	Specs Selectable Material Gauges. Angle flanges and rings.
Circular Silencers	CFN, CFP, CFF CXFN, CXFP, CXFF	TX	Not Available	Not Available	Not Available	Specs Selectable Material Gauges and Mylar lining.
No-Fill Circular Silencers	CXNN	TX	Not Available	Not Available	10 modules or \$5000 (whichever is less)	Specs Selectable Material Gauges.
Acoustical Diffuser Cone Axial Fan Silencer	ADC	TX	Not Available	Not Available	Consult Factory	
Acoustical Louvers	EAA-645/EAA-845, EAA-1245/FAA-1245, EAJ-437/EAJ-637, SAJ-835/SAJ-1235	TX	Consult Factory	Consult Factory	Consult Factory	
Sonavent Louvers Transfer and Return Air Attenuators	RA	TX	Consult Factory	20 modules or \$4000	-	
Sound Transmission Class Silencers STC Rated Attenuators	STC	TX	Consult Factory	Consult Factory	Consult Factory	

Note: * Orders over the maximum constraints are handled on a case by case basis.

Maximum charge will be the percentage or dollar amount listed, whichever is more.

10 gauge HTL casing and stainless steel materials are not included in our Quick Ship Program.

24 Hr, 3-Day and 7-Day Quick Ship: Orders received before 12:00 Noon Central Time will ship the next business day, 3 days or 7 days respectively.

Orders received after 12:00 Noon Central Time will ship in 2 days, 4 days or 8 days respectively.

Please contact Pottorff Customer Service at 817-509-2300 for special requirements or orders over the maximum constraints.

Manufacturing location indicates CA-California or TX-Texas.

Rev: 01/19